ELSEVIER

European Journal of Pharmacology 294 (1995) 805–810

ejp

Author index

Adami, M., Bertorelli, R., Ferri, N., Foddi, M.C. and Ongini, E.
Effects of repeated administration of selective adenosine A_1 and A_{2A} receptor agonists on pentylenetetrazole-induced convulsions in the rat (294) 383
Ader, J.-L., see Praddaude, F. (294) 173
Ahlenius, S., see Wadenberg, M.-L. (294) 247
Alescio-Lautier, B., Rao, H., Paban, V., Devigne, C. and Soumireu-Mourat, B.
Inhibition of the vasopressin-enhancing effect on memory retrieval and relearning by a vasopressin V_1 receptor antagonist in mice (294) 763
Amalric, M., see Ouagazzal, A. (294) 137
Amoroso, S., see Di Renzo, G. (294) 11
Annunziato, L., see Di Renzo, G. (294) 11
Antkiewicz-Michaluk, L., Karolewicz, B., Michaluk, J. and Vetulani, J.
Differences between haloperidol- and pimozide-induced withdrawal syndrome: a role for Ca^{2+} channels (294) 459
Antonicek, H., see Van der Staay, F.J. (294) 361
Anwyl, R., see Manahan-Vaughan, D. (294) 617
Arabia, A., see Bagetta, G. (294) 341
Arai, M., see Naito, Y. (294) 47
Archer, S., see McLaughlin, J.P. (294) 201
Argiolas, A., see Melis, M.R. (294) 1
Arletti, R., see Benelli, A. (294) 505
Asaad, M.M., see Bird, J.E. (294) 183
Asano, M., Matsunaga, K., Miura, M., Ito, K.M., Seto, M., Sakurada, K., Nagumo, H., Sasaki, Y. and Ito, K.
Selectivity of action of staurosporine on Ca^{2+} movements and contractions in vascular smooth muscles (294) 693
Astolfi, M., see Goso, C. (294) 239
Auth, F., see Moor, E. (294) 155
Avenet, P., see Biton, B. (294) 91

Bachelet, M., see De Castro, C.M.M.B. (294) 669
Bagetta, G., Rodinò, P., Paoletti, A.M., Arabia, A., Massoud, R. and Nisticò, G.
Systemic administration of lithium chloride and tacrine but not kainic acid augments citrulline content of rat brain (294) 341
Balster, R.L., see Wiley, J.L. (294) 101
Bascands, J.-L., see Praddaude, F. (294) 173
Bassi, A., see Di Renzo, G. (294) 11
Beglan, C.L., see Bell, J.A. (294) 289
Beglan, C.L., see Bell, J.A. (294) 297
Bell, J.A. and Beglan, C.L.
MK-801 blocks the expression but not the development of tolerance to morphine in the isolated spinal cord of the neonatal rat (294) 289
Bell, J.A. and Beglan, C.L.
Co-treatment with MK-801 potentiates naloxone-precipitated morphine withdrawal in the isolated spinal cord of the neonatal rat (294) 297
Belogi, L., see Tubaro, E. (294) 555
Bendesky, R.J., see Chang, R.S.L. (294) 429
Benelli, A., Bertolini, A., Poggioli, R., Cavazzuti, E., Calzà, L., Giardino, L. and Arletti, R.
Nitric oxide is involved in male sexual behavior of rats (294) 505
Beresford, I.J.M., see Hawcock, A.B. (294) 163
Beretta, C., see Paroni, R. (294) 737
Berlin, K.D., see Pugsley, M.K. (294) 319
Berti, F., see Bianchi, M. (294) 71
Bertolini, A., see Benelli, A. (294) 505
Bertorelli, R., see Adami, M. (294) 383
Bianchi, M., Rossoni, G., Sacerdote, P., Panerai, A.E. and Berti, F.
Carbamazepine exerts anti-inflammatory effects in the rat (294) 71
Bidlack, J.M., see McLaughlin, J.P. (294) 201
Bird, J.E., Webb, M.L., Giancarli, M.R., Chao, C.-c., Dorso, C.R. and Asaad, M.M.
A role for endothelin ET_A receptors in regulation of renal function in spontaneously hypertensive rats (294) 183
Biton, B., Granger, P., Depoortere, H., Scatton, B. and Avenet, P.
Block of P-type Ca^{2+} channels by the NMDA receptor antagonist eliprodil in acutely dissociated rat Purkinje cells (294) 91
Blandizzi, C., Colucci, R., Carignani, D., Natale, G., Lazzeri, G., Crema, F. and Del Tacca, M.
Role of peripheral $GABA_B$ receptors in the regulation of pepsinogen secretion in anaesthetized rats (294) 191
Bogdan, C., see Stenger, S. (294) 703
Böhm, M., see Lenz, O. (294) 17
Bolaños-Jiménez, F., Manhães de Castro, R., Seguin, L., Cloëz-Tayarani, I., Monneret, V., Drieu, K. and Fillion, G.
Effects of stress on the functional properties of pre- and postsynaptic 5-HT_{1B} receptors in the rat brain (294) 531
Bordi, F., see Ugolini, A. (294) 403
Borelli, G.P., see Tubaro, E. (294) 555
Boric, M.P., Martínez, A., Donoso, M.V. and Huidobro-Toro, J.P.
Neuropeptide Y is a vasoconstrictor and adrenergic modulator in the hamster microcirculation by acting on neuropeptide Y_1 and Y_2 receptors (294) 391
Briscoe, R.J., see Gauvin, D.V. (294) 281
Brooks, D.P. and Contino, L.C.
Prevention of cyclosporine A-induced renal vasoconstriction by the endothelin receptor antagonist SB 209670 (294) 571
Broten, T.P., see Kivlighn, S.D. (294) 439
Bult, H., see Van Put, D.J.M. (294) 753

Calzà, L., see Benelli, A. (294) 505
Canet, E., see Robineau, P. (294) 677
Cantoni, L., see Tsankova, V. (294) 601
Cao, W., see Rupalla, K. (294) 469
Carignani, D., see Blandizzi, C. (294) 191
Carl, K.L., see Gauvin, D.V. (294) 281
Cataldi, M., see Di Renzo, G. (294) 11
Cavallo, G., see Tubaro, E. (294) 555
Cavazzuti, E., see Benelli, A. (294) 505

Chang, M.-C., see Sheu, J.-R. (294) 231
Chang, R.S.L., Lotti, V.J., Chen, T.-B., O'Malley, S.S., Bendesky, R.J., Kling, P.J., Kivlighn, S.D., Siegl, P.K.S., Ondeyka, D., Greenlee, W.J. and Mantlo, N.B.
In vitro pharmacology of an angiotensin AT_1 receptor antagonist with balanced affinity for AT_2 receptors (294) 429
Chang, R.S.L., see Kivlighn, S.D. (294) 439
Chao, C.-c., see Bird, J.E. (294) 183
Chapman, A.G., see De Sarro, G. (294) 411
Chauvin, M., see Guirimand, F. (294) 651
Chen, T.-B., see Chang, R.S.L. (294) 429
Chien, C.-C. and Pasternak, G.W.
(−)-Pentazocine analgesia in mice: interactions with a σ receptor system (294) 303
Chimirri, A., see De Sarro, G. (294) 411
Chow, L., Zakrzewska, K., De Gasparo, M., Cumin, F. and Levens, N.
Gastric acid secretion after blockade of angiotensin AT_1 receptors in the Na^+-depleted rat (294) 309
Cloëz-Tayarani, I., see Bolaños-Jiménez, F. (294) 531
Colao, A.M., see Di Renzo, G. (294) 11
Collins, D.R., Smith, R.C. and Davies, S.N.
Interactions between arachidonic acid and metabotropic glutamate receptors in the induction of synaptic potentiation in the rat hippocampal slice (294) 147
Collins, K.A., see Tseng, L.F. (294) 345
Colucci, R., see Blandizzi, C. (294) 191
Conti, E., see Paroni, R. (294) 737
Contino, L.C., see Brooks, D.P. (294) 571
Coy, D.H., see Lin, J.-T. (294) 55
Crema, F., see Blandizzi, C. (294) 191
Cristello, A.F., see Wiley, J.L. (294) 101
Cua, M., see Geller, J.C. (294) 423
Cumin, F., see Chow, L. (294) 309

D'Alonzo, A.J., Darbenzio, R.B., Sewter, J.C., Hess, T.A., Grover, G.J., Sleph, P.G., Normandin, D.E. and Lodge, N.J.
A comparison between the effects of BMS-180448, a novel K^+ channel opener, and cromakalim in rat and dog (294) 271
Danilo, Jr., P., see Geller, J.C. (294) 423
Darbenzio, R.B., see D'Alonzo, A.J. (294) 271
Davies, S.N., see Collins, D.R. (294) 147
DeBoer, P., see Moor, E. (294) 155
De Castro, C.M.M.B., Nahori, M.-A., Dumarey, C.H., Vargaftig, B.B. and Bachelet, M.
Fenspiride: an anti-inflammatory drug with potential benefits in the treatment of endotoxemia (294) 669
De Gasparo, M., see Chow, L. (294) 309
Del Tacca, M., see Blandizzi, C. (294) 191
De Meyer, G.R.Y., see Van Put, D.J.M. (294) 753
Depoortere, H., see Biton, B. (294) 91
De Sarro, A., see De Sarro, G. (294) 411
De Sarro, G., Chimirri, A., De Sarro, A., Gitto, R., Grasso, S., Giusti, P. and Chapman, A.G.
GYKI 52466 and related 2,3-benzodiazepines as anticonvulsant agents in DBA/2 mice (294) 411
Desmond, T., see Vander Borght, T. (294) 577
De Vecchi, E., see Paroni, R. (294) 737
Devigne, C., see Alescio-Lautier, B. (294) 763
De Wildt, D.J., see Van Bergen, P. (294) 795
Di Bello, S., see Palmer, S. (294) 83
Diéguez, G., see Fernández, N. (294) 483
Di Renzo, G., Amoroso, S., Bassi, A., Fatatis, A., Cataldi, M., Colao, A.M., Lombardi, G. and Annunziato, L.
Role of the Na^+-Ca^{2+} and Na^+-H^+ antiporters in prolactin release from anterior pituitary cells in primary culture (294) 11
Dittrich, P., see Graier, W.F. (294) 221
Dong, E., see Han, C. (294) 593
Donoso, M.V., see Boric, M.P. (294) 391
Dorsa, D.M., see Poulin, P. (294) 29
Dorso, C.R., see Bird, J.E. (294) 183
Drieu, K., see Bolaños-Jiménez, F. (294) 531
Drukarch, B., see Nestby, P. (294) 771
Dumarey, C.H., see De Castro, C.M.M.B. (294) 669

Eglen, R.M., see Watson, N. (294) 779
Emond, C., see Praddaude, F. (294) 173
Endo, H., see Hiyoshi, Y. (294) 117

Fallgren, B., see Malmberg, A.B. (294) 609
Fatatis, A., see Di Renzo, G. (294) 11
Fauchère, J.-L., see Robineau, P. (294) 677
Fernández, N., Monge, L., García-Villalón, A.L., García, J.L., Gómez, B. and Diéguez, G.
Endothelin-1-induced in vitro cerebral venoconstriction is mediated by endothelin ET_A receptors (294) 483
Ferri, N., see Adami, M. (294) 383
Feuerstein, G.Z., see Yue, T.-L. (294) 585
Fillion, G., see Bolaños-Jiménez, F. (294) 531
Fink, C.A., see Hu, S. (294) 357
Flesch, M., see Lenz, O. (294) 17
Foddi, M.C., see Adami, M. (294) 383
Freund, W.-D., see Van der Staay, F.J. (294) 361
Frey, K., see Vander Borght, T. (294) 577
Fukuta, H., see Xue, L. (294) 75
Fulcrand, P., see Oiry, C. (294) 511

Gabel, R.A., see Kivlighn, S.D. (294) 439
Galleyrand, J.-C., see Oiry, C. (294) 511
Galli Kienle, M., see Paroni, R. (294) 737
Gantner, F., Uhlig, S. and Wendel, A.
Quinine inhibits release of tumor necrosis factor, apoptosis, necrosis and mortality in a murine model of septic liver failure (294) 353
García, J.L., see Fernández, N. (294) 483
García-Velasco, G., Sánchez, M., Hidalgo, A. and García de Boto, M.J.
Pharmacological dissociation of UTP- and ATP-elicited contractions and relaxations in isolated rat aorta (294) 521
García-Villalón, A.L., see Fernández, N. (294) 483
García de Boto, M.J., see García-Velasco, G. (294) 521
Gauvin, D.V., Carl, K.L., Briscoe, R.J., Vallett, M. and Holloway, F.A.
Cross-generalization between a cocaine cue and two antihistamines (294) 281
Geller, J.C., Cua, M., Prieto, L., Guo, S.-D., Danilo, Jr., P. and Rosen, M.R.
Chloroethylclonidine increases the incidence of lethal arrhythmias during coronary occlusion in anesthetized dogs (294) 423
Giancarli, M.R., see Bird, J.E. (294) 183
Giardino, L., see Benelli, A. (294) 505
Gibson, R.E., see Kivlighn, S.D. (294) 439
Girolami, J.-P., see Praddaude, F. (294) 173
Gitto, R., see De Sarro, G. (294) 411
Giusti, P., see De Sarro, G. (294) 411
Gómez, B., see Fernández, N. (294) 483
Gonzalez-Alvear, G.M. and Werling, L.L.
σ_1 Receptors in rat striatum regulate NMDA-stimulated [^{3}H]dopamine release via a presynaptic mechanism (294) 713
Goso, C., Astolfi, M., Parlani, M. and Manzini, S.
[^{3}H][β-Ala^8]neurokinin A-(4–10): a novel, selective radioligand for the tachykinin NK_2 receptor (294) 239
Graier, W.F., Grubenthal, I., Dittrich, P., Wascher, T.C. and Kostner, G.M.

Intracellular mechanism of high D-glucose-induced modulation of vascular cell proliferation (294) 221
Granger, P., see Biton, B. (294) 91
Grasso, S., see De Sarro, G. (294) 411
Greenlee, W.J., see Chang, R.S.L. (294) 429
Greenlee, W.J., see Kivlighn, S.D. (294) 439
Grover, G.J., see D'Alonzo, A.J. (294) 271
Grubenthal, I., see Graier, W.F. (294) 221
Gu, J.-L., see Yue, T.-L. (294) 585
Guirimand, F., Chauvin, M., Willer, J.-C. and Le Bars, D.
Buprenorphine blocks diffuse noxious inhibitory controls in the rat (294) 651
Guo, L.j., see Singewald, N. (294) 787
Guo, S.-D., see Geller, J.C. (294) 423

Hagan, J.J., Hatcher, J.P. and Slade, P.D.
The role of 5-HT_{1D} and 5-HT_{1A} receptors in mediating 5-hydroxytryptophan induced myoclonic jerks in guinea pigs (294) 743
Hagan, R.M., see Hawcock, A.B. (294) 163
Hamada, E., see Nakajima, T. (294) 625
Hamada, Y., see Nakamura, J. (294) 207
Han, C., Yu, G., Zhang, Y., Xu, K., Qu, P. and Dong, E.
Alterations of α_1-adrenoceptor subtypes in the hearts of thyroxine-treated rats (294) 593
Hara, T., see Nakamura, J. (294) 207
Harris, E.W., see Kinney, G.G. (294) 547
Hatcher, J.P., see Hagan, J.J. (294) 743
Hawcock, A.B., Beresford, I.J.M., Marshall, F.H. and Hagan, R.M.
Temperature and agonist dependency of tachykinin NK_1 receptor antagonist potencies in rat isolated superior cervical ganglion (294) 163
Hayakawa, H., see Takao, K. (294) 721
Hayes, E., see Pugsley, M.K. (294) 319
Hazama, H., see Nakajima, T. (294) 625
Hedner, T., see Malmberg, A.B. (294) 609
Helpap, B., see Van der Staay, F.J. (294) 361
Herman, A.G., see Van Put, D.J.M. (294) 753
Herzig, J.W., see Palmer, S. (294) 83
Hess, T.A., see D'Alonzo, A.J. (294) 271
Hey, J.A., see Rizzo, C.A. (294) 329
Hidalgo, A., see García-Velasco, G. (294) 521
Hiyoshi, Y., Miura, H., Uemura, K., Endo, H., Ozawa, K., Maeda, N., Tamagawa, T. and Iguchi, A.
Effects of imidazoline antagonists of α_2-adrenoceptors on endogenous adrenaline-induced inhibition of insulin release (294) 117
Hodgson, W.C., see James, G.M. (294) 109
Holloway, F.A., see Gauvin, D.V. (294) 281
Hölscher, C.
Prostaglandins play a role in memory consolidation in the chick (294) 253
Hoogerhout, P., see Van Bergen, P. (294) 795
Hope, W., see White, P.J. (294) 215
Hotta, N., see Nakamura, J. (294) 207
Hu, S., Kim, H.S. and Fink, C.A.
Differential effects of the BK_{Ca} channel openers NS004 and NS1608 in porcine coronary arterial cells (294) 357
Huang, T.-F., see Sheu, J.-R. (294) 231
Hudzik, T.J., see Kinney, G.G. (294) 547
Hughes, R., see Kerr, D.I.B. (294) 349
Huidobro-Toro, J.P., see Boric, M.P. (294) 391

Iguchi, A., see Hiyoshi, Y. (294) 117
Ito, K., see Asano, M. (294) 693
Ito, K.M., see Asano, M. (294) 693
Itoh, T., see Wada, K. (294) 377

James, G.M. and Hodgson, W.C.
Attenuated 5-HT_2 receptor-mediated responses in hindquarters of diabetic rats (294) 109
Janssen, P.M.L., see Van Bergen, P. (294) 795
Jensen, R.T., see Lin, J.-T. (294) 55
Johns, E.J., see Sattar, M.A. (294) 727

Kaehler, S., see Singewald, N. (294) 787
Kameyama, T., see Toyoshi, T. (294) 637
Kamisaki, Y., see Wada, K. (294) 377
Kaneko, T., see Naito, Y. (294) 47
Karaki, H., see Sudjarwo, S.A. (294) 261
Karolewicz, B., see Antkiewicz-Michaluk, L. (294) 459
Kaspareit, G., see Neumann, J. (294) 451
Kawasaki, K., see Takao, K. (294) 721
Kerr, D.I.B., Ong, J., Hughes, R. and Prager, R.H.
3-Amino-2-hydroxy-*N*-(4-nitrophenyl)-propanesulphonamide, a new class of $GABA_B$ receptor antagonist in central and peripheral preparations (294) 349
Kilbourn, M., see Vander Borght, T. (294) 577
Kilter, H., see Lenz, O. (294) 17
Kim, H.S., see Hu, S. (294) 357
Kim, K.H., see Lee, S.-M. (294) 41
Kindgen-Milles, D.
Effects of prostaglandin E_2 on the intensity of bradykinin-evoked pain from skin and veins of humans (294) 491
Kinney, G.G., Harris, E.W., Ray, R. and Hudzik, T.J.
σ_2 Site-mediated inhibition of electrically evoked guinea pig ileum longitudinal muscle/myenteric plexus contractions (294) 547
Kirchhefer, U., see Neumann, J. (294) 451
Kitamura, Y., see Takao, K. (294) 721
Kitano, M., see Wada, K. (294) 377
Kitazawa, T., see Nakajima, T. (294) 625
Kivlighn, S.D., Zingaro, G.J., Gabel, R.A., Broten, T.P., Chang, R.S.L., Ondeyka, D.L., Mantlo, N.B., Gibson, R.E., Greenlee, W.J. and Siegl, P.K.S.
In vivo pharmacology of an angiotensin AT_1 receptor antagonist with balanced affinity for angiotensin AT_2 receptors (294) 439
Kivlighn, S.D., see Chang, R.S.L. (294) 429
Kling, P.J., see Chang, R.S.L. (294) 429
Koh, N., see Nakamura, J. (294) 207
Kondo, M., see Naito, Y. (294) 47
Kostner, G.M., see Graier, W.F. (294) 221
Krause, J.E., see Robineau, P. (294) 677
Krieglstein, J., see Rupalla, K. (294) 469
Kucharczyk, N., see Robineau, P. (294) 677
Kuhl, D., see Vander Borght, T. (294) 577
Kuhn-Regnier, F., see Lenz, O. (294) 17
Kurachi, Y., see Nakajima, T. (294) 625

La Rosée, K., see Lenz, O. (294) 17
Lazzeri, G., see Blandizzi, C. (294) 191
Le Bars, D., see Guirimand, F. (294) 651
Lee, S.-M. and Kim, K.H.
Rebamipide ameliorates hepatic dysfunction induced by ischemia/reperfusion in rats (294) 41
Lenz, O., Schmid, B., Kilter, H., La Rosée, K., Flesch, M., Kuhn-Regnier, F., Südkamp, M. and Böhm, M.
Effects of angiotensin II and angiotensin-converting enzyme inhibitors on human myocardium (294) 17
Levens, N., see Chow, L. (294) 309
Leysen, J.E., see Nestby, P. (294) 771
Lima-Leite, A.-C., see Oiry, C. (294) 511
Lin, J.-T., Coy, D.H., Mantey, S.A. and Jensen, R.T.
Comparison of the peptide structural requirements for high affinity interaction with bombesin receptors (294) 55

Lodge, N.J., see D'Alonzo, A.J. (294) 271
Lombardi, G., see Di Renzo, G. (294) 11
Lonchampt, M., see Robineau, P. (294) 677
Lotti, V.J., see Chang, R.S.L. (294) 429
Lubatti, L., see Paroni, R. (294) 737
Ludbrook, J., see Ventura, S. (294) 369
Lundberg, J.M., see Malmström, R.E. (294) 661

Maeda, N., see Hiyoshi, Y. (294) 117
Magistrelli, A., see Tsankova, V. (294) 601
Mainiero, F., see Tubaro, E. (294) 555
Malmberg, A.B., Fallgren, B. and Hedner, T.
Antinociceptive effect of α-trinositol, a novel D-*myo*-inositol phosphate derivative, in the formalin test in rats (294) 609
Malmström, R.E. and Lundberg, J.M.
Neuropeptide Y accounts for sympathetic vasoconstriction in guinea-pig vena cava: evidence using BIBP 3226 and 3435 (294) 661
Manahan-Vaughan, D. and Reymann, K.G.
1*S*,3*R*-ACPD dose dependently induces a slow onset potentiation in the dentate gyrus in vivo (294) 497
Manahan-Vaughan, D., Anwyl, R. and Rowan, M.J.
The azapirone metabolite 1-(2-pyrimidinyl)piperazine depresses excitatory synaptic transmission in the hippocampus of the alert rat via 5-HT_{1A} receptors (294) 617
Manhães de Castro, R., see Bolaños-Jiménez, F. (294) 531
Manning, P., see Stenger, S. (294) 703
Mantey, S.A., see Lin, J.-T. (294) 55
Mantlo, N.B., see Chang, R.S.L. (294) 429
Mantlo, N.B., see Kivlighn, S.D. (294) 439
Manzini, S., see Goso, C. (294) 239
Marsden, C.A., see Rowley, H.L. (294) 541
Marshall, F.H., see Hawcock, A.B. (294) 163
Martin, K.F., see Rowley, H.L. (294) 541
Martínez, A., see Boric, M.P. (294) 391
Martinez, J., see Oiry, C. (294) 511
Massoud, R., see Bagetta, G. (294) 341
Matsumoto, M., see Yoshioka, M. (294) 565
Matsunaga, K., see Asano, M. (294) 693
Matsuyama, K., see Naito, Y. (294) 47
McLaughlin, J.P., Nowak, D., Sebastian, A., Schultz, A.G., Archer, S. and Bidlack, J.M.
Metopon and two unique derivatives: affinity and selectivity for the multiple opioid receptors (294) 201
Melis, M.R. and Argiolas, A.
Nitric oxide donors induce penile erection and yawning when injected in the central nervous system of male rats (294) 1
Michaluk, J., see Antkiewicz-Michaluk, L. (294) 459
Miura, H., see Hiyoshi, Y. (294) 117
Miura, M., see Asano, M. (294) 693
Monahan, M.E., see Rizzo, C.A. (294) 329
Monge, L., see Fernández, N. (294) 483
Monneret, V., see Bolaños-Jiménez, F. (294) 531
Moor, E., DeBoer, P., Auth, F. and Westerink, B.H.C.
Characterisation of muscarinic autoreceptors in the septo-hippocampal system of the rat: a microdialysis study (294) 155
Mori, K., see Nakamura, J. (294) 207
Mulder, A.H., see Nestby, P. (294) 771

Nagatani, T., see Takao, K. (294) 721
Nagumo, H., see Asano, M. (294) 693
Nahori, M.-A., see De Castro, C.M.M.B. (294) 669
Naito, Y., Yoshikawa, T., Matsuyama, K., Yagi, N., Arai, M., Nakamura, Y., Kaneko, T., Yoshida, N. and Kondo, M.
Effect of a novel histamine H_2 receptor antagonist, IT-066, on acute gastric injury induced by ischemia-reperfusion in rats, and its antioxidative properties (294) 47
Nakajima, T., Kitazawa, T., Hamada, E., Hazama, H., Omata, M. and Kurachi, Y.
17β-Estradiol inhibits the voltage-dependent L-type Ca^{2+} currents in aortic smooth muscle cells (294) 625
Nakamoto, K., see Wada, K. (294) 377
Nakamura, J., Koh, N., Sakakibara, F., Hamada, Y., Wakao, T., Hara, T., Mori, K., Nakashima, E., Naruse, K. and Hotta, N.
Polyol pathway, 2,3-diphosphoglycerate in erythrocytes and diabetic neuropathy in rats (294) 207
Nakamura, Y., see Naito, Y. (294) 47
Nakashima, E., see Nakamura, J. (294) 207
Naruse, K., see Nakamura, J. (294) 207
Natale, G., see Blandizzi, C. (294) 191
Nestby, P., Tjon, G.H.K., Visser, D.T.M., Drukarch, B., Leysen, J.E., Mulder, A.H. and Schoffelmeer, A.N.M.
Intermittent morphine treatment causes long-term desensitization of functional dopamine D_2 receptors in rat striatum (294) 771
Neumann, J., Kaspareit, G., Kirchhefer, U. and Scholz, H.
Sodium fluoride attenuates the negative inotropic effects of muscarinic M_2 and adenosine receptor agonists (294) 451
Nisticò, G., see Bagetta, G. (294) 341
Normandin, D.E., see D'Alonzo, A.J. (294) 271
Nowak, D., see McLaughlin, J.P. (294) 201
Numazawa, R., see Yoshioka, M. (294) 565

Oiry, C., Galleyrand, J.-C., Lima-Leite, A.-C., Fulcrand, P. and Martinez, J.
Are C-terminal octapeptide of cholecystokinin and [Leu^{11}]-gastrin-(5–17) different in stimulating acid secretion in isolated rabbit gastric glands? (294) 511
Olivier, B., see Zethof, T.J.J. (294) 125
O'Malley, S.S., see Chang, R.S.L. (294) 429
Omata, M., see Nakajima, T. (294) 625
Ondeyka, D., see Chang, R.S.L. (294) 429
Ondeyka, D.L., see Kivlighn, S.D. (294) 439
Ong, J., see Kerr, D.I.B. (294) 349
Ongini, E., see Adami, M. (294) 383
Ossowska, K.
The subsensitivity of striatal glutamate receptors induced by chronic haloperidol in rats (294) 685
Ouagazzal, A. and Amalric, M.
Competitive NMDA receptor antagonists do not produce locomotor hyperactivity by a dopamine-dependent mechanism (294) 137
Ozawa, K., see Hiyoshi, Y. (294) 117

Paban, V., see Alescio-Lautier, B. (294) 763
Palmer, S., Di Bello, S. and Herzig, J.W.
The effects of EMD 57033 on rigor tension in porcine skinned cardiac trabecula (294) 83
Panerai, A.E., see Bianchi, M. (294) 71
Panizzon, K.L., see Wallis, R.A. (294) 475
Paoletti, A.M., see Bagetta, G. (294) 341
Parlani, M., see Goso, C. (294) 239
Paroni, R., De Vecchi, E., Lubatti, L., Conti, E., Beretta, C., Rinaldi, P., Galli Kienle, M. and Trazzi, R.
Influence of the 21-aminosteroid U74389F on ischemia-reperfusion injury in the rat (294) 737
Pasternak, G.W., see Chien, C.-C. (294) 303
Peng, H.-C., see Sheu, J.-R. (294) 231
Philippu, A., see Singewald, N. (294) 787
Pittman, Q.J., see Poulin, P. (294) 29
Poggioli, R., see Benelli, A. (294) 505
Poulin, P., Szot, P., Dorsa, D.M. and Pittman, Q.J.
Vasopressin-induced sensitization: involvement of neurohypophyseal peptide receptors (294) 29

Praddaude, F., Tack, I., Emond, C., Bascands, J.-L., Girolami, J.-P., Tran-Van, T., Regoli, D. and Ader, J.-L.
In vivo and in vitro homologous desensitization of rat glomerular bradykinin B_2 receptors (294) 173
Prager, R.H., see Kerr, D.I.B. (294) 349
Prieto, L., see Geller, J.C. (294) 423
Prost, J.-F., see Robineau, P. (294) 677
Pugsley, M.K., Saint, D.A., Hayes, E., Berlin, K.D. and Walker, M.J.A.
The cardiac electrophysiological effects of sparteine and its analogue BRB-I-28 in the rat (294) 319

Qu, P., see Han, C. (294) 593

Radhakrishnan, R. and Sim, M.K.
Actions of D-amino acid-substituted analogues of des-Asp-angiotensin I on the central pressor action of angiotensin III (294) 337
Ramage, A.G. and Wyllie, M.G.
A comparison of the effects of doxazosin and terazosin on the spontaneous sympathetic drive to the bladder and related organs in anaesthetized cats (294) 645
Rao, H., see Alescio-Lautier, B. (294) 763
Ray, R., see Kinney, G.G. (294) 547
Reddy, H., see Watson, N. (294) 779
Regoli, D., see Praddaude, F. (294) 173
Regoli, D., see Robineau, P. (294) 677
Reymann, K.G., see Manahan-Vaughan, D. (294) 497
Rinaldi, P., see Paroni, R. (294) 737
Rizzo, C.A., Tozzi, S., Monahan, M.E. and Hey, J.A.
Pharmacological characterization of histamine H_3 receptors in isolated guinea pig pulmonary artery and ileum (294) 329
Robineau, P., Lonchampt, M., Kucharczyk, N., Krause, J.E., Regoli, D., Fauchère, J.-L., Prost, J.-F. and Canet, E.
In vitro and in vivo pharmacology of S 16474, a novel dual tachykinin NK_1 and NK_2 receptor antagonist (294) 677
Rodinò, P., see Bagetta, G. (294) 341
Röllinghoff, M., see Stenger, S. (294) 703
Rose'Meyer, R.B., see White, P.J. (294) 215
Rosen, M.R., see Geller, J.C. (294) 423
Rossoni, G., see Bianchi, M. (294) 71
Rowan, M.J., see Manahan-Vaughan, D. (294) 617
Rowley, H.L., Marsden, C.A. and Martin, K.F.
Differential effects of phenytoin and sodium valproate on seizure-induced changes in γ-aminobutyric acid and glutamate release in vivo (294) 541
Ruffolo, Jr., R.R., see Yue, T.-L. (294) 585
Rupalla, K., Cao, W. and Krieglstein, J.
Flupirtine protects neurons against excitotoxic or ischemic damage and inhibits the increase in cytosolic Ca^{2+} concentration (294) 469

Sacerdote, P., see Bianchi, M. (294) 71
Saint, D.A., see Pugsley, M.K. (294) 319
Saito, H., see Yoshioka, M. (294) 565
Sakakibara, F., see Nakamura, J. (294) 207
Sakurada, K., see Asano, M. (294) 693
Sánchez, M., see García-Velasco, G. (294) 521
Santoni, A., see Tubaro, E. (294) 555
Sasaki, Y., see Asano, M. (294) 693
Sattar, M.A. and Johns, E.J.
α_1-Adrenoceptor subtypes mediating antinatriuresis in Wistar and stroke-prone spontaneously hypertensive rats (294) 727
Scatton, B., see Biton, B. (294) 91
Schmid, B., see Lenz, O. (294) 17
Schneider, C., see Singewald, N. (294) 787
Schoffelmeer, A.N.M., see Nestby, P. (294) 771
Scholz, H., see Neumann, J. (294) 451
Schultz, A.G., see McLaughlin, J.P. (294) 201
Sebastian, A., see McLaughlin, J.P. (294) 201
Seguin, L., see Bolaños-Jiménez, F. (294) 531
Seto, M., see Asano, M. (294) 693
Sewter, J.C., see D'Alonzo, A.J. (294) 271
Sheu, J.-R., Yen, M.-H., Peng, H.-C., Chang, M.-C. and Huang, T.-F.
Triflavin, an Arg-Gly-Asp-containing peptide, prevents platelet plug formation in in vivo experiments (294) 231
Siegl, P.K.S., see Chang, R.S.L. (294) 429
Siegl, P.K.S., see Kivlighn, S.D. (294) 439
Sim, M.K., see Radhakrishnan, R. (294) 337
Singewald, N., Guo, L.j., Schneider, C., Kaehler, S. and Philippu, A.
Serotonin outflow in the hypothalamus of conscious rats: origin and possible involvement in cardiovascular control (294) 787
Slade, P.D., see Hagan, J.J. (294) 743
Sleph, P.G., see D'Alonzo, A.J. (294) 271
Smith, C.B., see Yoshioka, M. (294) 565
Smith, R.C., see Collins, D.R. (294) 147
Soumireu-Mourat, B., see Alescio-Lautier, B. (294) 763
Stenger, S., Thüring, H., Röllinghoff, M., Manning, P. and Bogdan, C.
L-N^6-(1-Iminoethyl)-lysine potently inhibits inducible nitric oxide synthase and is superior to N^G-monomethyl-arginine in vitro and in vivo (294) 703
Sudjarwo, S.A. and Karaki, H.
Role of protein kinase C in the endothelin-induced contraction in the rabbit saphenous vein (294) 261
Südkamp, M., see Lenz, O. (294) 17
Suzuki, H., see Xue, L. (294) 75
Szot, P., see Poulin, P. (294) 29

Tacconi, M.T., see Tsankova, V. (294) 601
Tack, I., see Praddaude, F. (294) 173
Takao, K., Nagatani, T., Kitamura, Y., Kawasaki, K., Hayakawa, H. and Yamawaki, S.
Chronic forced swim stress of rats increases frontal cortical 5-HT_2 receptors and the wet-dog shakes they mediate, but not frontal cortical β-adrenoceptors (294) 721
Tamagawa, T., see Hiyoshi, Y. (294) 117
Thüring, H., see Stenger, S. (294) 703
Tjon, G.H.K., see Nestby, P. (294) 771
Togashi, H., see Yoshioka, M. (294) 565
Tolboom, J.T.B.M., see Zethof, T.J.J. (294) 125
Toyoshi, T., Ukai, M. and Kameyama, T.
Intrastriatal injection of opioid receptor agonists inhibits apomorphine-induced behavior in 6-hydroxydopamine-treated mice (294) 637
Tozzi, S., see Rizzo, C.A. (294) 329
Tran-Van, T., see Praddaude, F. (294) 173
Trazzi, R., see Paroni, R. (294) 737
Tsankova, V., Magistrelli, A., Cantoni, L. and Tacconi, M.T.
Peripheral benzodiazepine receptor ligands in rat liver mitochondria: effect on cholesterol translocation (294) 601
Tseng, L.F. and Collins, K.A.
Pretreatment with pertussis toxin blocks morphine- but not β-endorphin-induced antinociception in the mouse (294) 345
Tubaro, E., Borelli, G.P., Belogi, L., Cavallo, G., Santoni, A. and Mainiero, F.
Effect of a new de-*N*-acetyl-lysoglycosphingolipid on some tumour models (294) 555

Uemura, K., see Hiyoshi, Y. (294) 117
Ugolini, A. and Bordi, F.
Metabotropic glutamate group II receptors are responsible for the depression of synaptic transmission induced by ACPD in the dentate gyrus (294) 403

Uhlig, S., see Gantner, F. (294) 353
Ukai, M., see Toyoshi, T. (294) 637

Vallett, M., see Gauvin, D.V. (294) 281
Van Bergen, P., Janssen, P.M.L., Hoogerhout, P., De Wildt, D.J. and Versteeg, D.H.G.
Cardiovascular effects of γ-MSH/ACTH-like peptides: structure-activity relationship (294) 795
Vander Borght, T., Kilbourn, M., Desmond, T., Kuhl, D. and Frey, K.
The vesicular monoamine transporter is not regulated by dopaminergic drug treatments (294) 577
Van der Heyden, J.A.M., see Zethof, T.J.J. (294) 125
Van der Staay, F.J., Antonicek, H., Helpap, B. and Freund, W.-D.
Effects of the selective metabotropic glutamate receptor agonist, L-CCG-I, on acquisition of a Morris task by rats (294) 361
Van Hove, C.E., see Van Put, D.J.M. (294) 753
Van Put, D.J.M., Van Hove, C.E., De Meyer, G.R.Y., Wuyts, F., Herman, A.G. and Bult, H.
Dexamethasone influences intimal thickening and vascular reactivity in the rabbit collared carotid artery (294) 753
Vargaftig, B.B., see De Castro, C.M.M.B. (294) 669
Ventura, S. and Ludbrook, J.
L-Arginine reverses the abolition of hypovolaemic decompensation by *N*-nitro-L-arginine methyl ester and naloxone in conscious rabbits (294) 369
Versteeg, D.H.G., see Van Bergen, P. (294) 795
Vetulani, J., see Antkiewicz-Michaluk, L. (294) 459
Visser, D.T.M., see Nestby, P. (294) 771

Wada, K., Kamisaki, Y., Kitano, M., Nakamoto, K. and Itoh, T.
Protective effect of cystathionine on acute gastric mucosal injury induced by ischemia-reperfusion in rats (294) 377
Wadenberg, M.-L. and Ahlenius, S.
Antagonism by the 5-$HT_{2A/C}$ receptor agonist DOI of raclopride-induced catalepsy in the rat (294) 247
Wakao, T., see Nakamura, J. (294) 207
Walker, M.J.A., see Pugsley, M.K. (294) 319
Wallis, R.A. and Panizzon, K.L.
Felbamate neuroprotection against CA1 traumatic neuronal injury (294) 475
Wang, X., see Yue, T.-L. (294) 585
Wascher, T.C., see Graier, W.F. (294) 221
Watson, N., Reddy, H. and Eglen, R.M.
Characterization of muscarinic receptor and β-adrenoceptor interactions in guinea-pig oesophageal muscularis mucosae (294) 779
Webb, M.L., see Bird, J.E. (294) 183
Wendel, A., see Gantner, F. (294) 353
Werling, L.L., see Gonzalez-Alvear, G.M. (294) 713
Westerink, B.H.C., see Moor, E. (294) 155
White, P.J., Rose'Meyer, R.B. and Hope, W.
Changes in adenosine receptors mediating hypotension in morphine-dependent rats (294) 215
Wiley, J.L., Cristello, A.F. and Balster, R.L.
Effects of site-selective NMDA receptor antagonists in an elevated plus-maze model of anxiety in mice (294) 101
Willer, J.-C., see Guirimand, F. (294) 651
Wuyts, F., see Van Put, D.J.M. (294) 753
Wyllie, M.G., see Ramage, A.G. (294) 645

Xu, K., see Han, C. (294) 593
Xue, L., Fukuta, H., Yamamoto, Y. and Suzuki, H.
Dual effects of trimebutine on electrical responses of gastric smooth muscles in the rat (294) 75

Yagi, N., see Naito, Y. (294) 47
Yamamoto, Y., see Xue, L. (294) 75
Yamawaki, S., see Takao, K. (294) 721
Yen, M.-H., see Sheu, J.-R. (294) 231
Yoshida, N., see Naito, Y. (294) 47
Yoshikawa, T., see Naito, Y. (294) 47
Yoshioka, M., Matsumoto, M., Numazawa, R., Togashi, H., Smith, C.B. and Saito, H.
Changes in the regulation of 5-hydroxytryptamine release by α_2-adrenoceptors in the rat hippocampus after long-term desipramine treatment (294) 565
Yu, G., see Han, C. (294) 593
Yue, T.-L., Wang, X., Gu, J.-L., Ruffolo, Jr., R.R. and Feuerstein, G.Z.
Carvedilol prevents low-density lipoprotein (LDL)-enhanced monocyte adhesion to endothelial cells by inhibition of LDL oxidation (294) 585

Zakrzewska, K., see Chow, L. (294) 309
Zethof, T.J.J., Van der Heyden, J.A.M., Tolboom, J.T.B.M. and Olivier, B.
Stress-induced hyperthermia as a putative anxiety model (294) 125
Zhang, Y., see Han, C. (294) 593
Zingaro, G.J., see Kivlighn, S.D. (294) 439